

Štednjaci i peći za etažno grejanje Central heating cookers and stoves



Thermo As Thermo As Lux

Dimenzije (VxŠxD) Dimensions (HxWxD)	845x900x654 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	350x287x416 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	21 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	10 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	11 kW
Zapremina kotla Boiler volume	19 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	73 %
Odvod dima Fume outlet	gornji / up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

Thermo Rocky

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x290x430 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	22 kW / 17 kW
Power (wood / coal)	
Snaga predana vodi (drvo / ugalj)	13 kW / 9,4 kW
Power given to water (wood / coal)	
Snaga predana okolini (drvo / ugalj)	9 kW / 7,6 kW
Power given to room (wood / coal)	
Zapremina kotla	22 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	87 % / 82 %
Efficiency (wood / coal)	
Odvod dima	gornji /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



SD Thermo Magnum SD Thermo Magnum S

Dimenzije (VxŠxD) Dimensions (HxWxD)	860x1075x660 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	300x250x340 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo) Power (wood)	14,3 kW
Snaga predana vodi (drvo) Power given to water (wood)	10,2 kW
Snaga predana okolini (drvo) Power given to room (wood)	4,1 kW
Zapremina kotla Boiler volume	11 l
Stepen iskorišćenja (drvo) Efficiency (wood)	76,4 %
Odvod dima Fume outlet	zadnji, gornji / back, up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

SD Super Thermo Magnum SD Super Thermo Magnum S

Dimenzije (VxŠxD)	865x1075x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x400x428 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	280x270x420 mm
Oven dimensions (HxWxD)	
Snaga	16,3 kW
Power	
Snaga predana vodi	10,1 kW
Power given to water	
Snaga predana okolin	6,2 kW
Power given to room	
Zapremina kotla	19 l
Boiler volume	
Stepen iskorišćenja	77,5 %
Efficiency	
Odvod dima	zadnji, gornji /
Fume outlet	back, up / Ø 130 / 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

Thermo Mag

Dimenzije (VxŠxD)	856x900x650 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	450x287x435 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	20 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	12 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	8 kW
Power given to room (wood / coal)	
Zapremina kotla	22 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	72 %
Efficiency (wood / coal)	
Odvod dima	gornji /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

Thermo Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	260x180x420 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 14 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	6 kW / 6 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	5 kW / 8 kW
Power given to room (wood / coal)	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 86 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, zadnji, gornji /
Fume outlet	left, right, back, up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



SD Thermo Vulkan Plus

Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x650x556 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	290x425x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	18,4 kW
Snaga predata vodi Power given to water	15,2 kW
Snaga predata okolini Power given to room	3,2 kW
Zapremina kotla Boiler volume	18 l
Stepen iskorišćenja Efficiency	77,6 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

SD Thermo Vulkan SD Thermo Vulkan S

Dimenzije (VxŠxD)	808x650x545 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	320x405x400 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	18,4 kW
Power (wood)	
Snaga predata vodi (drvo)	13,2 kW
Power given to water (wood)	
Snaga predata okolini (drvo)	5,2 kW
Power given to room (wood)	
Zapremina kotla	24 l
Boiler volume	
Stepen iskorišćenja (drvo)	77,1 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva (drvo)	drvo
Fuel type (wood)	wood



Boje
Colors

Thermo In

Dimenzije (VxŠxD)	1000x650x545 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	390x410x370 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	16 kW / 19 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	8 kW / 8 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	8 kW / 11 kW
Power given to room (wood / coal)	
Zapremina kotla	23 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	88 % / 87 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva (drvo / ugalj)	drvo, ugalj
Fuel type (wood / coal)	wood, coal

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

SD Thermo Vesta Plus

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	410x215x335 mm
Firebox dimensions (HxWxD)	
Snaga	11,2 kW
Power	
Snaga predata vodi	7,1 kW
Power given to water	
Snaga predata okolini	4,1 kW
Power given to room	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja	77 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

MBS Thermo Pellet 20

Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x600x700 mm
Snaga Power	20 kW
Snaga predata vodi Power given to water	14,2 kW
Snaga predata okolini Power given to room	5,8 kW
Snaga električnog dela Power of electric part	0,5 kW
Zapremina kotla Boiler volume	46 l
Stepen iskorišćenja Efficiency	92,14 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Boje
Colors



POKLON
SOBNI TERMOSTAT
/ Wi-Fi MODUL
za daljinsko
upravljanje putem
mobilne aplikacije.

FREE
ROOM THERMOSTAT
/ Wi-Fi MODULE
Control your stove
remotely from your
smartphone.

Wi Fi



MBS Thermo Pellet 12 / 18

12 / 18	12	18
Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x600x700 mm	
Snaga Power	12 kW	18 kW
Snaga predata vodi Power given to water	8 kW	14 kW
Snaga predata okolini Power given to room	4 kW	4 kW
Snaga električnog dela Power of electric part	0,5 kW	
Zapremina kotla Boiler volume	46 l	
Stepen iskorišćenja Efficiency	93,5 %	90 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm	
Tip goriva Fuel type	pelet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control		



Eco Pellet 33 / 38 / 42

33 / 38 / 42	33	38	42
Dimenzije (VxŠxD) Dimensions (HxWxD)	1436x714x942 mm		
Snaga Power	33 kW	38 kW	42 kW
Snaga električnog dela Power of electric part	0,534 kW		
Zapremina kotla Boiler volume	80 l		
Stepen iskorišćenja Efficiency	91 %		
Odvod dima Fume outlet	zadnji / back / Ø 120 mm		
Tip goriva Fuel type	pelet pellet		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control			

Boje
Colors

33	38	42
----	----	----

ECO DESIGN
2020
CLASS 5
EN 303-5:2012
ECO PELLET 33

POKLON
SOBNI TERMOSTAT / Wi-Fi MODUL
za daljinsko upravljanje putem mobilne aplikacije.

FREE
ROOM THERMOSTAT / Wi-Fi MODULE
Control your stove remotely from your smartphone.

Wi Fi



POKLON

**SOBNI TERMOSTAT
/ Wi-Fi MODUL**
za daljinsko
upravljanje putem
mobilne aplikacije.

FREE

**ROOM THERMOSTAT
/ Wi-Fi MODULE**
Control your stove
remotely from your
smartphone.



ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE CENTRAL HEATING COOKERS AND STOVES

Eco Pellet M

Dimenzije (VxŠxD) Dimensions (HxWxD)	1346x644x895 mm
Snaga Power	25 kW
Snaga električnog dela Power of electric part	613 W
Zapremina kotla Boiler volume	48 l
Stepen iskorišćenja Efficiency	90 %
Odvod dima Fume outlet	zadnji / back / Ø 100 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Eco Pellet S

Dimenzije (VxŠxD) Dimensions (HxWxD)	1232x604x788 mm
Snaga Power	15,3 kW
Snaga električnog dela Power of electric part	527 W
Zapremina kotla Boiler volume	42 l
Stepen iskorišćenja Efficiency	88 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	



POKLON

**SOBNI TERMOSTAT
/ Wi-Fi MODUL**
za daljinsko
upravljanje putem
mobilne aplikacije.

FREE

**ROOM THERMOSTAT
/ Wi-Fi MODULE**
Control your stove
remotely from your
smartphone.



Štednjaci i peći za etažno grejanje Central heating cookers and stoves



Thermo As Thermo As Lux

Dimenzije (VxŠxD) Dimensions (HxWxD)	845x900x654 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	350x287x416 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	21 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	10 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	11 kW
Zapremina kotla Boiler volume	19 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	73 %
Odvod dima Fume outlet	gornji / up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

Thermo Rocky

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x290x430 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	22 kW / 17 kW
Power (wood / coal)	
Snaga predana vodi (drvo / ugalj)	13 kW / 9,4 kW
Power given to water (wood / coal)	
Snaga predana okolini (drvo / ugalj)	9 kW / 7,6 kW
Power given to room (wood / coal)	
Zapremina kotla	22 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	87 % / 82 %
Efficiency (wood / coal)	
Odvod dima	gornji /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



SD Thermo Magnum SD Thermo Magnum S

Dimenzije (VxŠxD) Dimensions (HxWxD)	860x1075x660 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	300x250x340 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo) Power (wood)	14,3 kW
Snaga predana vodi (drvo) Power given to water (wood)	10,2 kW
Snaga predana okolini (drvo) Power given to room (wood)	4,1 kW
Zapremina kotla Boiler volume	11 l
Stepen iskorišćenja (drvo) Efficiency (wood)	76,4 %
Odvod dima Fume outlet	zadnji, gornji / back, up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

SD Super Thermo Magnum SD Super Thermo Magnum S

Dimenzije (VxŠxD)	865x1075x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x400x428 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	280x270x420 mm
Oven dimensions (HxWxD)	
Snaga	16,3 kW
Power	
Snaga predana vodi	10,1 kW
Power given to water	
Snaga predana okolin	6,2 kW
Power given to room	
Zapremina kotla	19 l
Boiler volume	
Stepen iskorišćenja	77,5 %
Efficiency	
Odvod dima	zadnji, gornji /
Fume outlet	back, up / Ø 130 / 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

Thermo Mag

Dimenzije (VxŠxD) Dimensions (HxWxD)	856x900x650 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	450x287x435 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	20 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	12 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	8 kW
Zapremina kotla Boiler volume	22 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	72 %
Odvod dima Fume outlet	gornji / up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

Thermo Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	260x180x420 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 14 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	6 kW / 6 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	5 kW / 8 kW
Power given to room (wood / coal)	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 86 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, zadnji, gornji /
Fume outlet	left, right, back, up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



SD Thermo Vulkan Plus

Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x650x556 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	290x425x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	18,4 kW
Snaga predata vodi Power given to water	15,2 kW
Snaga predata okolini Power given to room	3,2 kW
Zapremina kotla Boiler volume	18 l
Stepen iskorišćenja Efficiency	77,6 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

SD Thermo Vulkan SD Thermo Vulkan S

Dimenzije (VxŠxD)	808x650x545 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	320x405x400 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	18,4 kW
Power (wood)	
Snaga predata vodi (drvo)	13,2 kW
Power given to water (wood)	
Snaga predata okolini (drvo)	5,2 kW
Power given to room (wood)	
Zapremina kotla	24 l
Boiler volume	
Stepen iskorišćenja (drvo)	77,1 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva (drvo)	drvo
Fuel type (wood)	wood



Boje
Colors

Thermo In

Dimenzije (VxŠxD) Dimensions (HxWxD)	1000x650x545 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	390x410x370 mm
Snaga (drvo / ugalj) Power (wood / coal)	16 kW / 19 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	8 kW / 8 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	8 kW / 11 kW
Zapremina kotla Boiler volume	23 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	88 % / 87 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal

Boje
Colors





ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE
CENTRAL HEATING COOKERS AND STOVES

SD Thermo Vesta Plus

Dimenzije (VxŠxD) Dimensions (HxWxD)	890x455x440 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	410x215x335 mm
Snaga Power	11,2 kW
Snaga predata vodi Power given to water	7,1 kW
Snaga predata okolini Power given to room	4,1 kW
Zapremina kotla Boiler volume	4 l
Stepen iskorišćenja Efficiency	77 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood



Boje
Colors

MBS Thermo Pellet 20

Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x600x700 mm
Snaga Power	20 kW
Snaga predata vodi Power given to water	14,2 kW
Snaga predata okolini Power given to room	5,8 kW
Snaga električnog dela Power of electric part	0,5 kW
Zapremina kotla Boiler volume	46 l
Stepen iskorišćenja Efficiency	92,14 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Boje
Colors



POKLON
SOBNI TERMOSTAT
/ Wi-Fi MODUL
za daljinsko
upravljanje putem
mobilne aplikacije.

FREE
ROOM THERMOSTAT
/ Wi-Fi MODULE
Control your stove
remotely from your
smartphone.

Wi Fi



MBS Thermo Pellet 12 / 18

12 / 18	12	18
Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x600x700 mm	
Snaga Power	12 kW	18 kW
Snaga predata vodi Power given to water	8 kW	14 kW
Snaga predata okolini Power given to room	4 kW	4 kW
Snaga električnog dela Power of electric part	0,5 kW	
Zapremina kotla Boiler volume	46 l	
Stepen iskorišćenja Efficiency	93,5 %	90 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm	
Tip goriva Fuel type	pelet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control		



Eco Pellet 33 / 38 / 42

33 / 38 / 42	33	38	42
Dimenzije (VxŠxD) Dimensions (HxWxD)	1436x714x942 mm		
Snaga Power	33 kW	38 kW	42 kW
Snaga električnog dela Power of electric part	0,534 kW		
Zapremina kotla Boiler volume	80 l		
Stepen iskorišćenja Efficiency	91 %		
Odvod dima Fume outlet	zadnji / back / Ø 120 mm		
Tip goriva Fuel type	pelet pellet		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control			

Boje
Colors

33	38	42
----	----	----

ECO DESIGN
2020
CLASS 5
EN 303-5:2012
ECO PELLET 33

POKLON
SOBNI TERMOSTAT / Wi-Fi MODUL
za daljinsko upravljanje putem mobilne aplikacije.

FREE
ROOM THERMOSTAT / Wi-Fi MODULE
Control your stove remotely from your smartphone.

Wi Fi



POKLON

**SOBNI TERMOSTAT
/ Wi-Fi MODUL**
za daljinsko
upravljanje putem
mobilne aplikacije.

FREE

**ROOM THERMOSTAT
/ Wi-Fi MODULE**
Control your stove
remotely from your
smartphone.



ŠTEDNJACI I PEĆI ZA ETAŽNO GREJANJE CENTRAL HEATING COOKERS AND STOVES

Eco Pellet M

Dimenzije (VxŠxD) Dimensions (HxWxD)	1346x644x895 mm
Snaga Power	25 kW
Snaga električnog dela Power of electric part	613 W
Zapremina kotla Boiler volume	48 l
Stepen iskorišćenja Efficiency	90 %
Odvod dima Fume outlet	zadnji / back / Ø 100 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Eco Pellet S

Dimenzije (VxŠxD) Dimensions (HxWxD)	1232x604x788 mm
Snaga Power	15,3 kW
Snaga električnog dela Power of electric part	527 W
Zapremina kotla Boiler volume	42 l
Stepen iskorišćenja Efficiency	88 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	



POKLON

**SOBNI TERMOSTAT
/ Wi-Fi MODUL**
za daljinsko
upravljanje putem
mobilne aplikacije.

FREE

**ROOM THERMOSTAT
/ Wi-Fi MODULE**
Control your stove
remotely from your
smartphone.

